



REPUBLIC OF NAMIBIA

MINISTRY OF INFORMATION AND COMMUNICATION TECHNOLOGY

Request for Sealed Quotations for Goods

SUPPLY AND DELIVERY OF IT EQUIPMENT AND SOFTWARE

Procurement Reference No: G/RFQ/29-36/2024

Name of the Bidder:	
Contact Number:	
Email Address:	
Total Bid Amount(N\$):	

Ministry of Information and Communication Technology
301 Trust Building, Independence Avenue 2nd floor
061 – 283 2408



**REPUBLIC OF NAMIBIA****MINISTRY OF INFORMATION AND COMMUNICATION TECHNOLOGY**

Tel: (+264 61) 283 9111
Fax: (+26461) 221672

Private Bag 13344
Windhoek
Namibia

PROCUREMENT MANAGEMENT UNIT**Letter of Invitation****04 November 2024****To: All Bidders**Procurement Reference No: **G/RFQ/29-36/2024**

Dear Sir/Madam

SUPPLY AND DELIVERY OF IT EQUIPMENT AND SOFTWARE

The Ministry of Information and Communication Technology invites you to submit your best quote for the goods described in detail hereunder.

Any resulting contract shall be subjected to the terms and conditions referred to in the document.

For enquiries, please do not hesitate to contact the Procurement Management Unit at the following email: pmu@mict.gov.na

Please, prepare and submit your quotation at **MICT- Trust Building, 2nd Floor (by 10h00 on Monday, 02 December 2024)**, in accordance with the instructions given, or inform the undersigned if you will not be submitting your quotation.

Yours faithfully,

MS. GERHARDA AMUTENYA**HEAD OF PROCUREMENT MANAGEMENT UNIT**

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

The **Ministry of Information Communication and Technology** reserves the right:

- (a) To split the award of the contract as per the lowest evaluated cost per item, or
- (b) To accept or reject any quotation; and
- (c) To cancel the quotation process and reject all quotations at any time before contract award.
- (d) To reduce or increase the quantity of items

2. Preparation of Quotations

You are requested to quote for the services mentioned in Section III by completing, signing, and returning:

- (a) The Quotation Letter in Section II with its annex for Bid Securing Declaration,
- (b) The Priced Activity Schedule in Section IV;
- (c) The Specifications and Performance Standards Compliance Sheet in Section V; and;
- (d) Any other attachment as deemed appropriate.

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The quotation validity period shall be **120 days** from the date of the bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) **have a valid company Registration Certificate / Founding statement ;(Indicating the nature of the Business, (should be in line with the supply and delivery of ICT equipment)**
- (b) **have an original/certified copy of a valid good Standing Tax Certificate;**
- (c) **Have an original/certified copy of a valid good Standing Social Security Certificate;**
- (d) **have a valid certified copy of the Affirmative Action Compliance Certificate, proof from the Employment Equity Commissioner that the bidder is not relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;**
- (e) **submit signed Bid-Securing Declaration;**
- (f) **complete all spaces provided and initial each page of the bidding document;**

- (g) submit a signed Written undertaking in terms of section 138 of the Labour Act, 2007;
- (h) bid reserved for suppliers in the business of supply and delivery of IT equipment;
- (i) attached three (3) or more certified copies of reference letters for similar work performed in the past 5 years with contact details.

5. Bid Security/Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

6. Delivery

Delivery shall be **strictly within 30 days** after acceptance/issue of the Purchase Order.

6.1 Deviation in the delivery period shall be considered if such deviation is reasonable.

6.2 The tests and inspections will be conducted on the goods at delivery

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name and contact information at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at the **Ministry of Information and Communication Technology at the Trust Building, 2nd Floor**, by 02 December 2024 at 10:00 AM. Late submissions will be rejected, and email submissions will not be accepted.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the Bidders and the amount, the presence or absence of a Bid Security/Bid-Securing Declaration will be put on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

Table 1: Mandatory Requirements

The eligibility criteria will be assessed based on a Yes or No. All bidders that pass with Yes in all the required documents as stated in table 1, will proceed to the next phase (phase 2 - technical evaluation). A bidder that obtains a “NO” in any of the criteria shall be deemed non-responsive and will be disqualified.

Document Description	Yes/No
<ul style="list-style-type: none"> A certified copy of proof of business (form/type) registration / founding statement indicating their business operations (depending on the type of business entity, proof can be either BIPA documents or a partnership agreement) 	
<ul style="list-style-type: none"> An original (or certified copy) of a <u>Valid</u> Good Standing Certificate: Social Security Commission (SSC certificates are valid only for 1-month from date of issue unless stated otherwise) 	
<ul style="list-style-type: none"> An original (or certified copy) of a <u>Valid</u> Certificate of Good Standing for Tax from the Ministry of Finance: Inland Revenue (the validity period of the tax certificate is stated in the document). If the bidder claims VAT on the price quoted, then the certificate of good standing for Tax provided must include the bidder's status on VAT) 	
<ul style="list-style-type: none"> An original (or certified copy) of a Valid Affirmative Action Compliance Certificate, or exemption in terms of Section 42 of the Affirmative Action Act, 1998 (these certificates are valid for 12-months from date of issue unless stated otherwise) 	
<ul style="list-style-type: none"> 100% Namibian owned SME's only or the entities is registered in Namibia with no less than 51% equity owned by Namibian citizens of which no less than 30% is owned by previously disadvantaged persons 	
<ul style="list-style-type: none"> Complete all spaces provided and initial each page of the bidding document 	
<ul style="list-style-type: none"> Company nature is the same as the one of the bid (Attach founding statement) 	

Table 2: Technical Evaluation

For Bids to be deemed substantially responsive, in addition to the provisions of the Instructions to Bidders, the combined total score obtained from the different categories listed in the table below must be **minimum 80 marks**. Bids achieving a combined evaluation score **below 80 marks** will be deemed non-responsive and will not be further considered.

S/ N	Description	Source of Verification	Scoring Notes	Scores(Points)	Total
1.	Material offered	Specification	Scoring Notes	Scores	Total
	Full compliance with Specifications, or higher specifications than required	Full detailed company quotation	Full compliance with detailed quotation	30	40

			Deviation with detailed quotation	10	
			None compliance	0	
2.	Working experience	Reference letters attached for similar work performed in the past 5 years	Three (3) or more reference letters attached	20	20
			One (1) reference letter attached	10	
3.	Proof that the supplier is a certified reseller/distributor of the brands offered an official letter from the principal dealer to be attached	Letter from a principal dealer on the brand that is offered for HP	Letter attached	15	15
			No letter attached	0	
		Letter from principal dealer on the brand that is offered for Apple products	Letter attached	15	15
			No letter attached	0	
4.	Delivery schedule schedules	Detailed delivery schedule period.	Detailed Delivery schedule period as per required delivery not exceeding 30 days after contract award.	10	10
			No detailed Delivery schedule period. attached	0	
				Total	100

Financial Evaluation:

The Bidder having submitted the lowest evaluated responsive quotation and qualified to perform the services shall be selected for award of contract.

I Have read through the Evaluation Criteria and fully understand, for the criteria that I did not understand I seek clarity on the following date..... and was assist by.....

Name:		Signature:	
Position:		Date:	

11. Scope of Services, Specifications and Performance Standards

The Scope of Services and Performance Standards Compliance Sheet detailed in Sections III and V are to be complied with. Bidders may propose alternatives for part of the scope substantiating that such options will equally serve the interest of the Public Entity. However, evaluation will be carried out as per the defined scope. Alternatives will only be considered from bidders having submitted the lowest evaluated quotation as per the base requirements.

12. Documents Establishing Conformity of Goods and Related Services

[the list mentioned hereunder may be amended by Public Entity to supplement requirements for a specific procurement]

Bidders shall submit along with their bids the documents ☒ marked hereunder:

(a)	Documents to establish conformity of goods as specified in Schedule of Requirements, highlighting deviations, if any, so as to establish substantial responsiveness of the proposed goods item;	<input type="checkbox"/>
(b)	A list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the Goods during the period specified in the Specification and Performance Requirement Sheet, following commencement of the use of the goods.	<input type="checkbox"/>
(c)	Documentary evidence to establish to the satisfaction of the Purchaser that goods proposed, as per other than the brand name, catalogue numbers or standard as specified by the Purchaser, ensures substantial equivalence or are superior.	<input type="checkbox"/>
(d)	Evidence of the bidder's technical capacity to be furnished by one or more of the following means: This does not make sense for the supply of ICT Equipment <ul style="list-style-type: none"> (i) a list of the principal deliveries effected in the past three years, with the sums, dates and recipients, whether public or private, involved; and (ii) Type test certificates drawn up by official quality control institutes or agencies of recognized competence attesting the conformity of the goods with respect to specifications conformity. 	<input type="checkbox"/> <input type="checkbox"/>
(e)	Documentary evidence to establish Bidder's ability to provide the service or to execute the installation with regard to their skills, efficiency, experience and reliability.	<input type="checkbox"/>

13. Technical Compliance

Bidders shall submit along with their quotations documents, catalogues and any other literature to substantiate compliance with the required specifications and to qualify deviations if any with respect to Public Entity's requirements.

The Specifications, Performance Requirements and Compliance Sheet details the minimum specifications of the goods/items to be supplied. The specifications have to be met but no credit will be given for exceeding the specifications.

14. Prices and Currency of Payment

Prices for the execution of services shall be fixed in Namibian Dollars as quoted. Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the services, and shall include all duties. The whole cost of performing the services shall be included in the items stated, and the cost of any incidental services shall be deemed to be included in the prices quoted.

15. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation and qualified to perform the services shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract and General Conditions of Contract

16. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within seven (7) days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within seven (7) days of the unsuccessful bidders being informed of the award.

17. Margin of Preference

- 1.1. The applicable margins of preference and their application methodology are as follows:

Category	Margin of preference
Nature of business in line with the request	2%
MSME	1%
Women owned enterprise	1%
Youth owned enterprise	2%
PDP owned enterprise	2%
Supplier promoting Environmental protection	1%
Service rendered by Namibian citizens	1%
TOTAL	10%

- 1.2. Bidders applying for the Margin of Preference shall submit, **upon request**, evidence of:

Documentary evidence
-Certificate of registration from a registering authority -Declaration by the bidder that the manufactured goods meet the local content as determined in Annexure 6 as per the cost structure for Value Added Calculation in Annexure 1, and as certified by an Accountant
SME registration certificate -Declaration indicating the percentage of Namibian MSME ownership
- IDs of all shareholders -Founding statement/company registration indicating ownership structure/shareholder certificate - declaration indicating the percentage of Namibian female ownership
- IDs of all shareholders - Founding statement/company registration indicating ownership structure/shareholder certificate - declaration indicating the percentage of Namibian youth ownership
-IDs of all shareholders - Founding statement/company registration indicating ownership structure/shareholder certificates - declaration indicating the percentage of Namibian PDPs ownership
-declaration and proof that the bidder meets the requirements set out in the bidding document
declaration that the bidder employs 50% or more Namibian citizens



**APPLICATION FOR PREFERENCE FORM IN TERMS OF PUBLIC PROCUREMENT CODE OF
GOOD PRACTICE ON PREFERENCE, 31 JANUARY 2023**

DATE.....

PROCUREMENT REF:

SUBJECT.....

TO: MINISTRY OF INFORMATION AND COMMUNICATION TECHNOLOGY

**I/We owner of(company name) in terms of
the Public Procurement Act no.15 of 2015, Code of Good Practice on preference
hereby wish to apply for exclusive preference in the following categories;**

Please ticket on the appropriate column:

Tick	Category	Margin of preference	Documentary evidence to be attach
	Manufacturer	2%	-Certificate of registration from a registering authority -Declaration by the bidder that the manufactured goods meet the local content as determined in Annexure 6 as per the cost structure for Value Added Calculation in Annexure 1, and as certified by an Accountant
	MSME	1%	SME registration certificate - Declaration indicating the percentage of Namibian MSME ownership
	Women owned enterprise	1%	- IDs of all shareholders -Founding statement/company registration indicating ownership structure/shareholder certificate - declaration indicating the

			percentage of Namibian female ownership
	Youth owned enterprise	2%	- IDs of all shareholders - Founding statement/company registration indicating ownership structure/shareholder certificate - declaration indicating the percentage of Namibian youth ownership
	PDP owned enterprise	2%	-IDs of all shareholders - Founding statement/company registration indicating ownership structure/shareholder certificates - declaration indicating the percentage of Namibian PDPs ownership
	Supplier promoting Environmental protection	1%	-declaration and proof that the bidder meets the requirements set out in the bidding document
	Service rendered by Namibian citizens	1%	declaration that the bidder employs 50% or more Namibian citizens
	TOTAL	10%	

NB: Failure to attach the Documents Evidence and declaration will result in the application being deemed invalid and will not be considered.

The maximum cumulative allowable margin of preference applicable to exclusive preferences for price evaluation purposes is 10%.

DECLARATION FORM

I/We owner of (Company name) hereby declare:
 (Choose only where its applicable)

-% of my company shares are owned by Previously Disadvantage Person (PDP).
-% of my company shares are owned by youth. (age 15-30)
-% of my company shares are owned by women.
- **Employees % Namibian citizen.**

(Company must employ 50% more Namibian citizen)

Therefore, I would like to apply for exclusive preference in terms of the Public Procurement Act no.15 of 2015, Code of Good practice on preference, 2023.

Signed

.....
 [Insert signature of person whose name and capacity are shown]

Capacity of:

.....
 [Indicate legal capacity of person (s) signing]

Name:

.....

Date

Company stamp

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of this RFQ prevail over any attachments. If your quotation is not authorised, it may be rejected.]

Quotation Addressed to :	
Procurement Reference Number:	
Subject matter of Procurement:	

We offer to provide the services detailed in the Scope of Service, in accordance with the terms and conditions stated in your Request for Quotations referenced above.

We confirm that we are eligible to participate in this Quotation Exercise and meet the eligibility criteria specified in Section 1: Request for Quotations.

We undertake to abide ethical conduct during the procurement process and the execution of any resulting contract.

We have read and understood the content of the Bid Security/Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription could lead [forfeiture of the security amount / disqualification on the grounds mentioned in the BDS]

The validity period of our Quotation is 90 days from the date of the bid submission deadline.

We confirm that the prices quoted in the Priced Activity Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry date** of the quotation validity.

The services will commence within 30 days from date of issue of Purchase Order/ Letter of Acceptance.

Quotation Authorised by:

Name of Bidder		Company's Address and seal	
Contact Person			
Name of Person Authorising the Quotation:		Position:	Signature:
Date		Phone No./Fax	

Appendix to Quotation Letter

BID SECURING DECLARATION

(Section 45 of Act)
(Regulation 37(1)(b) and 37(5))

Date: _____

Procurement Ref No.: _____

To: _____

[insert complete name of Public Entity and address].

I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of

- (a) **a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;**
- (b) **refusal by a bidder to accept a correction of an error appearing on the face of a bid;**
- (c) **failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or**
- (d) **failure to provide security for the performance of the procurement contract if required to do so by the bidding document.**

I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder

Signed:

[insert signature of person whose name and capacity are shown]

Capacity of:

[indicate legal capacity of person(s) signing the Bid Securing Declaration]

Name:

[insert complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]

Dated on _____ day of _____, _____

[insert date of signing]

Corporate Seal (where appropriate)

[Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]

**delete if not applicable / appropriate*



Republic of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Written undertaking in terms of section 138 of the Labour Act, 2007 and section 50(2)(D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

Company Trade Name:.....

Registration Number :.....

Vat Number:

Industry/Sector:

Place of Business:.....

Physical Address:.....

Tell No.:.....

Fax No.:.....

Email Address:.....

Postal Address:.....

Full name of Owner/Accounting Officer:.....

.....

Email Address:.....

2. PROCUREMENT DETAILS

Procurement Reference No :

Procurement Description:

.....

.....

Anticipated Contract Duration:

Location where work will be done, good/services will be delivered:

.....

3. UNDERTAKING

I[insert full name], owner/representative

of[insert full name of company]

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Signature:

Date:

Seal:.....

Please take note:

1. *A labour inspector may conduct unannounced inspections to assess the level of compliance*
2. *This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

SECTION III: LIST OF GOODS AND PRICE SCHEDULE

QUOTATION FOR: SUPPLY AND DELIVERY OF IT EQUIPMENT AND SOFTWARE

Procurement Ref No G/RFQ/29-36/2024

INSTRUCTIONS TO THE PUBLIC ENTITY					INSTRUCTIONS TO BIDDERS				
At time of preparation of the RFQ, Columns A to D shall be filled in by the Public Entity.					Bidders shall fill-in columns E - I and fill the total E= mark with a *if an equivalent is quoted F= Rate per unit G=Total price for one item (C x F) • If an equivalent is quoted, please attach to your quote appropriate technical information & specification • Bidders shall fill in and sign the bottom section of this page				
A Item no.	B Description of Goods	C Quantity required	D Unit of measures	E *	F Price per unit NAD	G Total price without VAT NAD	H VAT: NAD	I Delivery weeks (days/month)	Country of Origin
1.	Laptop HP	14	EA						
2.	MacBook Air 15"	1	EA						
3.	Full Desktops HP	8	EA						
4.	Canon Camera	1	EA						
5.	FortiGate Firewall 901G	1	EA						
6.	USB C Adapters for MacBook Pro, MacBook Air M2 USB Accessories 7 in 1	10	EA						
7.	Unifi U6 Pro Access point	15	EA						
8.	NVME M.2 enclosure	8	EA						
9.	8-port switch	5	EA						
10.	External casing 3.5inch	8	EA						
11.	Heavy duty HDMI cable	5	EA						
12.	Synology Disk station 4-Bay	1	EA						
13.	Enterprise NAS internal HDD 16TB 3.5	2	EA						
14.	HP Printer color LaserJet pro MFP M479fdw	5	EA						

[illegible]

1. If the Price quoted is subject to change in the rate of exchange at the time of delivery of goods provide details hereunder:

Currency:
Exchange Rate:

If no base rate of exchange is given, the price shall be treated as firm in Namibian Dollars for all intent and purpose.

Key notes: **NA**=NOT APPLICABLE, **NQ**=NO QUOTE

SECTION IV: SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

[the Public Entity shall use this section to specify its Technical Requirements for the goods items, Inspection and examination, and the scope of Related Services, as applicable.]

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Procurement Reference Number: _____

[Bidders should complete columns C and D with the specification of the goods offered. Also state “comply” or “not comply” and give details of any non-compliance/deviation to the specification required. Attach detailed technical literature if required. Authorise the specification offered in the signature block below.]

1. Laptop HP Probook 450 G10	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
		Yes	No	Deviation(if any)
Feature	Description			
Operating system	Microsoft Windows 11 Professional (64 bit) or latest version			
Processor	14th Generation Intel Core i5 Processor (8M Cache, up to 4.60 GHz, 10 cores)			
Memory	8 GB DDR4			
Hard drive	512 GB SSD			
I/O Ports	3 or 4 USB 3.2 and Type C port			
	1 HDMI			
	1 combo stereo headphone/mic jack			
	1 RJ-45			
Slots	SD Card Reader			
Display	15.6" HD anti-glare LED- backlit, (1366 x 768)			
Speakers	Integrated standard speakers			
Camera	720p HD webcam			
Graphics	HD Graphics 620			
Input devices	Touchpad mouse and Keyboard with Numeric Keypad			
Network interface	Gigabit Network Connection (10/100/1000 NIC)			
Wireless	802.11a/b/g/n Wi-Fi			
Warranty	Three (3) years			

Accessories	Protective Carry Bag			
Mouse	Wireless mouse			

<u>2. MacBook Air 15"</u>	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Feature	Description	Yes	No	Deviation(if any)
MacOS	Ventura or latest			
Chip	Apple M2 chips			
Memory	8 GB of 2666MHz DDR4 ECC memory Configurable to 32GB			
Storage	512 GB SSD, Configurable to 2TB or 4TB SSD			
Display	15-inch (diagonal) Liquid Retina XDR display; (3456-by-2234 native resolution).			
Charging and Expansion	Four Thunderbolt 4 (USB-C) ports with support for: Charging DisplayPort Thunderbolt (up to 40Gb/s) USB 4.0 (up to 40Gb/s)			
Audio	Stereo speakers, dual microphones			
Graphics	Intel Iris Plus Graphics or latest			
Camera	1080p FaceTime HD camera			
Wireless	Wi-Fi			

	802.11ac Wi-Fi wireless networking IEEE 802.11a/b/g/n compatible Bluetooth Bluetooth 5.3 wireless technology			
Warranty	Three (3) years			
Accessories	Protective Carry Bag, USB-C expansion hub and Magic Mouse 2			

<u>3. Full Desktop HP (MT or PT)</u>	<u>FOR OMAs TO COMPLETE</u>	<u>FOR BIDDER TO COMPLETE</u>		
Feature	Description	Yes	No	Deviation(if any)
Operating system	Microsoft Windows 11 Professional (64 bit) or latest version			
Processor	14th Generation Intel Core i5 Processor (12M Cache, up to 4.60 GHz, 10 cores)			
Memory	8 GB DDR4 SDRAM			
Hard drive	512 GB SSD			
Optical Drives	Slim DVD+/-RW DVD Combo			
Audio	Integrated High Definition Realtek HD Audio			
I/O Ports	Front: 1 x headset connector; 4 USB 3.1 (1 charging) Rear:			

	1 x audio-in; 1 x audio-out; 1 x serial; 1x RJ-45 ; 4 x USB 3.1 , 1 x VGA, 1x HDMI			
Display	23.8 or 24" Widescreen 1080p TFT Flat LED			
Graphics	Integrated Intel UHD Graphics			
Input devices	USB Optical Scroll Mouse & Standard Keyboard			
Speakers	Build-in or External			
Network Interface	Gigabit Ethernet			
Wireless	Wireless 802.11 ac			
Warranty	Three (3) Years			

Warranty	Three (3) Years			
-----------------	-----------------	--	--	--

4. CANON CAMERA	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
	Description	Yes	No	Deviation(if any)
<u>31x Canon EOS R3 Mirrorless Camera Body</u>	<ul style="list-style-type: none"> • 24.1 Megapixel Full-Frame Stacked Back-Illuminated Full Frame CMOS Sensor • IOS Sensitivity: 100-102400 • DIGIC X Image Processor • 6K60 RAW 12-bit Internal Video • Eye Control AF, Dual Pixel CMOS AF II • Subject Tracking with Deep Learning • Continuous Shooting Up to 30 fps • Integrated Vertical Grip • Weather-Sealed Construction 			
<u>1 x Canon EF 24-105mm f/4L IS II USM Lens</u>	<ul style="list-style-type: none"> • Full-Frame lens with 24-105mm focal length • Maximum aperture of f/4 across the zoom range • Advanced 4-stop image stabilisation • L-series lens quality and performance • High quality optical elements • 10 blade circular aperture • Ring-type USM focus motor with full-time manual focus override 			
<u>1 x Canon RF 800mm f/11 IS STM Lens</u>	<ul style="list-style-type: none"> • RF-Mount Lens/Full-Frame Format • Fixed f/11 Aperture • Retractable, Locking Lens Barrel • Gapless Dual-Layer Diffractive Optics 			
<u>1x EF 85mm f/1.4L IS USM Lens</u>				
<u>31x Canon Mount Adapter EF-EOS R</u>	<ul style="list-style-type: none"> • Canon EF/EF-S Lens to EOS R Camera • Maintains AF and Image Stabilization • Dust- and Water-Resistant 			
<u>1 x Canon 52mm Circular Polarizing Filter Drop-In Filter</u>	<ul style="list-style-type: none"> • For Use with Long Canon Lenses • Rear Mounted / Drop-in Filter • Rotates Using Ring on Outside of Mount • Makes a Blue Sky Bluer • Enhances Clouds • Eliminates Reflections • Easy to Insert and Remove 			
<u>1 x Canon Drop-In Filter Mount Adapter</u>	<ul style="list-style-type: none"> • Canon EF/EF-S Lens to EOS R Camera • Maintains AF and Image Stabilization • Includes Drop-In Variable ND Filter A • Dust- and Water-Resistant 			

<u>EF-EOS R with Variable ND Filter</u>				
<u>1 x SanDisk 128GB Extreme PRO 300MB/s UHS-II V90 SDHC Memory Card</u>	<ul style="list-style-type: none"> • 128GB Storage Capacity • UHS-II / V90 / U3 / Class 10 • Maximum Read Speed: 300 MB/s • Maximum Write Speed: 260 MB/s • Minimum Write Speed: 90 MB/s • Records 8K, 4K, and Full HD Video • Capture Raw Photos and High-Speed Bursts • Shock, Temperature, X-Ray & Waterproof • Built-In Write-Protect Switch • RescuePRO Deluxe Software Download 			
<u>1 x SanDisk 256GB Extreme 180MB/s UHS-I SDHC Memory Card</u>	<ul style="list-style-type: none"> • 256GB Storage Capacity • UHS-I / V30 / U3 / Class 10 • Max Read Speed: 180 MB/s • Max Write Speed: 130 MB/s • Min Write Speed: 30 MB/s • Records Full HD, 3D, and 4K Video • Built-In Write-Protect Switch 			
<u>1 x Canon LP-E6NH Lithium-Ion Battery</u>	<ul style="list-style-type: none"> • For EOS R5 and EOS R6 • Can Be Used in Place of LP-E6/N 			
<u>1 x Canon Speedlite EL-1 Flash</u>	<ul style="list-style-type: none"> • Rechargeable lithium-ion battery pack • Recycling time of 0.9 seconds at full power • Flash output between full (1/1) and 1/8192 • Zoom of 24-200mm • Active cooling system, weather-resistant construction 			
<u>3 x LowerPro PRO Trekker RLX 450 AW II</u>	<p>Pro photographer's convertible backpack-roller, purpose-built to organize and protect maximum gear in a compact carry-on size.</p> <ul style="list-style-type: none"> • Fits 2 Mirrorless/DSLR bodies, one with 200mm, 5-6 extra lenses • Space for 15" laptop, 10" tablet, plus Wacom type tablet • Conversion versatility: backpack easily converts to roller • Carry-on ready: Sized to meet standard carry-on requirements • Travel friendly: stowable shoulder straps, removable waist belt 			

<u>1 x Gear Memory Holder</u>	<p>Organize and carry a variety of portable flash media cards with this camera memory case.</p> <ul style="list-style-type: none">• Fits CF, XQD & SD cards• Belt clip on back for easy, secure access• Clear pockets hold memory cards for better organization• Dual zipper closure			
--	---	--	--	--

5. FORTINET FIREWALL 901G	FOR OMAs TO COMPLETE	FOR TENDERER TO COMPLETE		
Features	Description	Yes	No	Deviation(if any)
Hardware Specification	<p>Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Ultra Low Latency Slots– 4</p> <p>Hardware Accelerated 10 GE SFP+ / GE SFP Slots– 4</p> <p>Hardware Accelerated GE SFP Slots – 8</p> <p>Hardware Accelerated GE RJ45 Slots– 16</p> <p>2.5 GE / GE HA Port– 1</p> <p>USB Ports (Client / Server)– 2/2</p> <p>Console Port– 1</p> <p>Trusted Platform Module (TPM)- Yes</p> <p>Included Transceivers- 2x SFP SR 1</p>			
System Performance — Enterprise Traffic Mix	<p>IPS Throughput^2 - - 26 Gbps</p> <p>NGFW Throughput^2,4 - - 22 Gbps</p> <p>Threat Protection Throughput^2,5 - 20 Gbps</p>			
System Performance and Capacity	<p>IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) -- 164 / 163 / 153 Gbps</p> <p>IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) -- 164 / 163 / 153 Gbps</p> <p>Firewall Latency (64 byte, UDP) -- 3.78 / 2.5 µs</p>			

	<p>Firewall Throughput (Packet per Second) – 229.5 Mpps</p> <p>Concurrent Sessions (TCP) -- Million</p> <p>New Sessions/Second (TCP) -- 750 000</p> <p>Firewall Policies -- 10 000</p> <p>IPsec VPN Throughput (512 byte)^1 -- 55 Gbps</p> <p>Gateway-to-Gateway IPsec VPN Tunnels -- 2 000</p> <p>Client-to-Gateway IPsec VPN Tunnels -- 50 000</p> <p>SSL-VPN Throughput – 16.7 Gbps</p> <p>Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) --10 000</p> <p>SSL Inspection Throughput (IPS, avg HTTPS)^3 -- 12 Gbps</p> <p>SSL Inspection CPS (IPS, avg. HTTPS)^3 -- 18000</p> <p>SSL Inspection Concurrent Session (IPS, avg HTTPS)^3 -- 1.6 Million</p> <p>Application Control Throughput (HTTP 64K)^2 – 74.8 Gbps</p> <p>CAPWAP Throughput (HTTP 64K) -- 65 Gbps</p> <p>Virtual Domains (Default / Maximum) -- 10 / 10</p>			
--	--	--	--	--

	<p>Maximum Number of FortiSwitches Supported -- 96</p> <p>Maximum Number of FortiAPs (Total /Tunnel) -- 1014 / 512</p> <p>Maximum Number of FortiTokens -- 5 000</p> <p>High Availability Configurations -- Active-Active, Active-Passive, Clustering</p>			
Dimensions and Power	<p>Height x Width x Length (inches) -- 1.5 x 17.0 x 15.0</p> <p>Height x Width x Length (mm) -- 44.45 x 432 x 380</p> <p>Weight -- 15.98 lbs (7.25 kg) 16.53 lbs (7.5 kg)</p> <p>Form Factor (supports EIA/non-EIA standards) -- Rack Mount, 1RU</p> <p>AC Power Supply -- 100–240VAC, 50/60 Hz</p> <p>AC Current (Maximum) -- 6A@100VAC, 3A@240VAC</p> <p>DC Power Supply -- (-48V to -60V DC)</p> <p>DC Current (Maximum) -- 7A@48V</p> <p>Power Consumption (Average / Maximum) - - 134 W / 252 W 144 W / 264 W</p> <p>Heat Dissipation -- 861 BTU/h 902 BTU/h</p> <p>Power Efficiency Rating -- 80Plus Compliant</p>			

	Redundant Power Supplies Hot Swappable – Yes (comes with 2PSU default)			
Operating Environment and Certifications	Operating Temperature -- 32°F to 113°F (0°C to 45°C) Storage Temperature -- (-31°F to 158°F (-35°C to 70°C) Humidity -- 10% to 90% non-condensing Noise Level -- 58 dBA Forced Airflow -- Side and Front to Back Operating Altitude -- Up to 10000 ft (3048 m) Compliance -- FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB Certifications -- USGv6/IPv6			

6. USB C Adapters	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Feature	Description	Yes	No	Deviation(if any)
USB C Adapters	USB C Hub Adapter for MacBook Pro/Air M1M2 2023 2022 2021 2020 13" 15" 16",			
Multiport MacBook Adapter	MacBook Accessories 7 in 1 with 4K HDMI,3USB3.0,Audio,100W Thunderbolt-Enabled USB-C,Support MagSafe 3 Charging			

7. ACCESS POINTS UNIFI U6 PRO	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Features	Description	Yes	No	Deviation(if any)
Mechanical	<p>Dimensions -- Ø197 x 35 mm (Ø7.8 x 1.4")</p> <p>Weight -- Without mount: 460 g (1 lb) With mount: 600 g (1.3 lb)</p> <p>Enclosure material -- Polycarbonate</p> <p>Mount material -- Stainless steel (SUS304)</p> <p>Weatherproofing -- IP54</p>			
Hardware	<p>Networking interface -- (1) GbE RJ45 port</p> <p>Management interface -- Ethernet Bluetooth</p> <p>Power method -- PoE</p> <p>Power supply -- UniFi PoE switch 48V, 0.5A PoE adapter (optional)</p> <p>Supported voltage range - - 44—57V DC 13W</p> <p>Max. power consumption -- 13W</p> <p>Max. TX power -- 2.4GHz 22 dBm 5GHz 26 dBm</p> <p>MIMO -- 2.4GHz 2 x 2 (UL MU-MIMO) 5GHz 4 x 4 (DL/UL MU-MIMO)</p> <p>Throughput rate -- 2.4GHz 573.5 Mbps 5GHz 4.8 Gbps</p> <p>Antenna gain -- 2.4GHz 4dBi 5GHz 6dBi 6GHz</p> <p>LEDs -- White/blue</p>			

	<p>Button. -- Factory reset</p> <p>Mounting -- Wall/ceiling (included)</p> <p>Operating temperature -- -30 to 60° C (-22 to 140° F)</p> <p>Operating humidity -- 5 to 95% noncondensing</p> <p>Certifications -- CE, FCC, IC, MIC</p>			
Software	<p>WiFi standards -- 802.11a/b/g</p> <p>WiFi 2.4/WiFi 5/WiFi 6</p> <p>Wireless security -- WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3)</p> <p>BSSID -- 8 per radio</p> <p>VLAN -- 802.1Q</p> <p>Advanced QoS -- Per-user rate limiting</p> <p>Guest traffic isolation -- Supported</p>			
Supported Data Rates	<p>802.11a -- 6, 9, 12, 18, 24, 36, 48, 54 Mbps</p> <p>802.11b -- 1, 2, 5.5, 11 Mbps</p> <p>802.11g -- 6, 9, 12, 18, 24, 36, 48, 54 Mbps</p> <p>802.11n (WiFi 2.4) -- 6.5 Mbps to 600 Mbps (MCS0 - MCS31, HT 20/40)</p> <p>802.11ac (WiFi 5) -- 6.5 Mbps to 3.4 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80/160)</p> <p>802.11ax (WiFi 6) -- 7.3 Mbps to 4.8 Gbps (MCS0 - MCS11 NSS1/2/3/4, HE 20/40/80/160)</p>			

8. NVME M.2 enclosure	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Feature	Description	Yes	No	Deviation(if any)
<p>External Interface: USB 3.0: 5Gbps.</p> <p>Functionality - Advanced Features</p>	<ul style="list-style-type: none"> ■ HIGH PERFORMANCE: External USB-C or USB-A storage solution for your PCIe M.2 NVMe or SATA M.2 AHCI SSD; This enclosure features USB 3.2 Gen 2 (10Gbps) with UASP support & PCI Express 3.0; Backward compatible with USB 3.0/2.0 ■ M.2 COMPATIBILITY: Works with M.2 PCIe NVMe (M-Key) & M.2 SATA (B+M-Key) based drives; Works with 2230/2242/2260/2280 SSDs including Samsung 850/860/870/950/960/970, Kingston, Seagate, Western Digital, HP, and Intel SSD drives; NOT COMPATIBLE W/22110mm ■ HOST COMPATIBILITY: M.2 SATA or M.2 NVMe SSD enclosure comes with two separate USB host cables to provide support for both USB Type-A and USB Type-C/Thunderbolt 3/4 host devices such as iPhone 15 (Plus/Pro/Max) and up/MacBook/MacBook Pro/Chromebook Pixel ■ DURABILITY & RELIABILITY: Enclosure with aluminum housing protects the SSD; The NGFF case features ventilation holes & thermal pads for heat 			

	<p>dissipation, ensuring consistency at peak performance levels; Ideal solution for high-speed data backup & recovery</p> <p>■ EASY INSTALLATION: The M2 SATA or M.2 NVMe SSD (solid state drive) adapter enclosure supports driverless plug-and-play installation & hassle free drive installation (screwdriver incl.); 20in (50cm) USB-C cable and 10in (25cm) USB-A cable incl.</p>			
--	---	--	--	--

<u>9. 8 Port Switch</u>	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Feature	Description	Yes	No	Deviation(if any)
Access point Functionality - Advanced Features	<ul style="list-style-type: none"> •Green Ethernet •1.6 Gbps switching fabric •Auto MDI/MDIX crossover for all ports •Secure store-and-forward switching scheme •Compliance with IEEE802.3az EEE power-saving •Full/half-duplex for Ethernet/Fast Ethernet speeds •IEEE 802.3x Flow Control •Plug-and-play installation •RoHS compliant •Supports 2048-byte Jumbo Frames 			
Protocol	•CSMA/CD			
Data Transfer Rates	<ul style="list-style-type: none"> • Ethernet: <ul style="list-style-type: none"> ■ 10 Mbps (half duplex) ■ 20 Mbps (full duplex) • Fast Ethernet: <ul style="list-style-type: none"> ■ 100ps (half duplex) 			

	<ul style="list-style-type: none"> ■ 200 Mbps (full duplex) 			
Transmission Method	•Store-and-forward			
MAC Address Table	2K			
MAC Address Learning	Automatic Update			
Packet Filtering/Forwarding Rates	<ul style="list-style-type: none"> •Ethernet: 14,880 pps per port •Fast Ethernet: 148,800 pps per port 			
RAM Buffer	96 KB per device			
LED Indicators	<ul style="list-style-type: none"> •Per port: Link/Activity •Per device: Power 			
Media Interface Exchange	•Auto MDI/MDIX adjustment for all ports			
Dimensions	• 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches)			
Power	•5 V/0.55 A Power Adapter			
Heat Dissipation	<ul style="list-style-type: none"> •Power On (Standby): AC input:2.0472 Btu/h •Maximum: AC input:7.47228 Btu/h 			
Power Consumption	<ul style="list-style-type: none"> •Power On (Standby): DC input: 0.36 watts, AC input: 0.6 watts •Maximum: DC input: 1.78 watts, AC input: 2.19 watts •Link Up: EEE mode: DC input: 			

	0.75 watts AC input: 1.1. watts			
Temperature	<ul style="list-style-type: none"> •Operating: 0 to 40 °C (32 to 104 °F) •Storage: -10 to 70 °C (14 to 158 °F) 			
Humidity	<ul style="list-style-type: none"> •Operating: 10% to 90% non-condensing •Storage: 5% to 90% non-condensing 			
MTBF	•2,137,319 hours			
Certifications	<ul style="list-style-type: none"> •CE Class B •FCC Class B •cUL •CB •VCCI Class B 			
DES-1008A	8-Port 10/100 Switch			

10. External casing 3.5inch	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Feature	Description	Ye s	N o	Deviation(i f any)
External Interface: USB 3.0: 5Gbps. Functionalit y - Advanced Features	External Interface: USB 3.0: 5Gbps Internal Interface: SATA Casing Material: Aluminum Casing Color: Black LED: Yes Power Source: External Power Supply AC Input: 100 – 240V DC Output: +5V / +12V, 2A Supported OS: Windows 2000/XP/Vista/7/8/8.1/10 ; Mac 9.2 or above			

11. HDMI CABLE	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Features	Description	Yes	No	Deviation(if any)
Functionality - Advanced Features	Minimum - 4K HDMI Cable, 35 Feet, Ultra HD HDMI 2.0 Cable, Gold-Plated Connectors, 4K @ 60Hz, 2K,1080P, HDCP 2.2, ARC, Bulk HDMI Cables			

12. Synology Disk station 4-Bay	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Features	Description	Yes	No	Deviation(if any)
CPU	Intel Celeron J4125 4-core 2.0 GHz, burst up to 2.7 GHz			
Memory	4 GB DDR4 on board (expandable up to 8 GB)5			
Compatible drive type	4 x 3.5" or 2.5" SATA HDD/SSD (drives not included), 2 x M.2 2280 NVMe SSD (drives not included)			
External port	2 x USB 3.0 port , 1 x eSATA port			
Size (HxWxD)	166 x 199 x 223 mm			
Weight	2.24 kg			
LAN	2 x Gigabit (RJ-45)			
System fan	2 (92 x 92 x 25 mm)			
AC input power voltage	100 V to 240 V AC			
Power frequency	50/60 Hz, single phase			
Operating temperature	0°C to 40°C (32°F to 104°F)			
Storage temperature	-20°C to 60°C (-5°F to 140°F)			

Relative humidity	5% to 95% RH			
Maximum operating altitude	5,000 m (16,400 ft)			

13. Enterprise NAS internal HDD 16TB 3.5"	FOR OMAs TO COMPLETE	FOR BIDDER TO COMPLETE		
Features	Description	Yes	No	Deviation(if any)
Technical details	SATA/ESATA 6Gb/s, 7200 RPM, 256 MB cache 1.7 pounds of weight, DIMM memory type.			

14. HP color LaserJet pro MFP M479fdw		FOR OMAs TO COMPLETE		FOR BIDDERTO COMPLETE	
Features	Description	Yes	No	Deviation(if any)	
Functions	Print, copy, scan, fax, email				
Print speed black (ISO, A4)	Up to 27 ppm				
Print Speed Color (ISO)	Up to 27 ppm				
First page out black (A4, ready)	As fast as 9.5 sec				
Size (HxWxD)	166 x 199 x 223 mm				
First page out color (A4, ready)	As fast as 11.0 sec				
Duty cycle (monthly, letter)	Up to 50,000 pages				
Duty cycle (monthly, A4)	Up to 50,000 pages				
Recommended monthly page volume	750 to 4,000				
Print quality black (best)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi				
Print quality color (best)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi				
Network capabilities Wireless capability	-20°C to 60°C (-5°F to 140°F) Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x				
Display	10.92 cm (4.3 in) intuitive touchscreen Colour Graphic Display (CGD)				
Maximum Memory	512 MB NAND Flash, 512 MB DRAM				
Paper handling input, standard	50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)				
Paper handling output, standard	150-sheet output bin				

Paper handling input, optional	Optional 550-sheet tray			
---------------------------------------	-------------------------	--	--	--

Specifications and Compliance Sheet Authorised by:

Name:		Signature:	
Position:		Date:	
Authorised for and on behalf of:		Company	

**SECTION VI: GENERAL CONDITIONS OF CONTRACT AND
CONTRACT AGREEMENT**

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods - Ref. **G/RFQ-GCC** on the website of the Public Entity (*insert website address*) except where modified by the Special Conditions below.

SECTION VI: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods except where modified by the Special Conditions below.

SECTION VIII: SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: _____

The clause numbers given in the first column correspond to the relevant clause number of the GCC.

Subject and GCC clause reference	Special Conditions
Purchaser GCC 1.1(h)	The purchaser is: Ministry of Information and Communication Technology
Site GCC 1.1(m)	The Site/final destination for delivery of the Goods is: 301 Trust Building, Independence Avenue
Incoterms Edition GCC 4.2(b)	Incoterms shall be governed by the rules prescribed in Incoterms 2010.
Notices GCC 8.1	Any notice shall be sent to the following addresses: For the Ministry of ICT, the address and the contact name shall be: Head of PMU Private Bag 13344 Windhoek Email: <u>PMU@mict.gov.na</u> For the Supplier, the address and contact name shall be: _____
Delivery and Documents GCC 13.1	The Goods are to be delivered within <u> 30 </u> days from the date of Purchase Order or Letter of Acceptance. The documents to be furnished by the Supplier are: (a) signed delivery note & invoice;

Subject and GCC clause reference	Special Conditions
Price Adjustment GCC 15.1	<p>The price charge for the Goods supplied and the related Services performed shall not be adjustable.</p> <p>If the prices are adjustable, the method described in the Price Adjustment Formula as attachment to these SCC shall be used</p>
Terms of Payment GCC 16.1	The structure of payments shall be: full payment following delivery of the Supplies and submission of an invoice and the documents listed in clause 13.1
Terms of Payment GCC 16.3	Payments shall be made not later than thirty days after submission of an invoice and its certification by the Purchaser.
Terms of Payment GCC 16.4 (a)	The price “ shall not be ” adjustable to the fluctuation in the rate of exchange.
Payment Period GCC 16.5	<p>The method and conditions of payments to be made to the Supplier under this Contract shall be as follows:</p> <p>i) On Acceptance: The Contract Price of goods received shall be paid no later than thirty (30) days of receipt of the Goods upon submission of an invoice (showing Purchaser’s name; the Procurement Reference number, description of payment and total amount, signed in original, stamped or sealed with the company stamp/seal) supported by the Acceptance Certificate issued by the Purchaser.</p>
Performance Security GCC 18.1	<p>(i) No performance security is required</p> <p>* Delete as appropriate</p>
Transportation GCC 25	The Goods shall be delivered: [Incoterm for transportation].
Inspection and Test GCC 26.1	The inspection and tests shall be: Shall be carried out upon delivery
Location of Inspection and Tests GCC 26.2	The inspections and tests shall be conducted at 301 Trust Building, Independence Avenue, 2nd Floor.
Warranty GCC 28.3	The period of validity of the warranty shall be: 3 Years
Repair and Replacement GCC 28.5	The period for repair or replacement shall be: [366] day(s)

SCHEDULE 3

**QUOTATION CHECKLIST SCHEDULE
PROCUREMENT OF IT EQUIPMENT AND SOFTWARE**

Procurement Reference No.: _____

Description	Attached	Not Attached
Bid Letter		
Price Activity Schedule		
Specification and Compliance Sheet		
Bid- Securing Declaration		
Written undertaking in terms of section 138 of the Labour Act, 2007		
Original / Valid certified copy of a Tax Good Standing Certificate – NAMRA		
Original / Valid certified copy of Good Standing Social Security Certificate		
A valid certified copy of the Affirmative Action Compliance Certificate, proof from the Employment Equity Commissioner that the bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;		
Valid Company Registration Certificate (Indicating the nature of the business)		
Company profile, experience, and references where similar services have been provided		
Proof that the supplier is a certified reseller/distributor of the brands offered an official letter from the principal dealer to be attached		

Disclaimer: The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.

